

T6N

R5E



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





Township N° VI North of the Base line, Range N° V East of the 2nd Meridian. Surveyed by Jacob Fowler, 1807  
Arthur Henric, 1854  
B. F. Morris 1859.

Description of the Soil on the interior Sectional lines.

between Sections	Quality &c	between Sections	Quality &c	between Sections	Quality &c
26 & 27	Land rich & level. Timber Blackberry & Ash	68 & 69	Land flat & wet. Timber Beech, Oak, Ash & Maple	15 & 16	First rate land. Beech, Sugar, Ash &c
23 & 24	ditto	7 & 8	ditto	10 & 11	First rate bottom
21 & 22	ditto	18 & 19	ditto	9 & 10	Good 1st rate. Timber same
31 & 32	ditto	19 & 20	ditto	2 & 3	Same
12 & 13	ditto	30 & 31	Land level. Timber Walnut, Ash, Blackberry & Sugar, Spruce & Elm	2 & 3	Same
38 & 39	Land rolling. Timber Oak & Hickory	23 & 24	Land 1st rate. Beech, Sugar, Blackberry, Walnut & Ash	9 & 10	Same
28 & 29	Land level. Timber Oak, Sugar, Maple, Walnut &c	13 & 14	Same	8 & 9	Good bottom, Beech, Oak, Ash, Spruce, Oak &c
18 & 19	Land level. Timber Oak, Sugar, Maple, Walnut &c	13 & 14	First & 2nd rate bottom. Oak & low bottom. Timber same	4 & 5	Not so much land. W. Oak, Maple &c. Sugar & Spruce
21 & 22	Land level. Timber Elm, Oak, Oak & Hickory	12 & 13	Same	4 & 5	Same
16 & 17	ditto	11 & 12	Generally low bottom	7 & 8	Rolling 2nd rate. Beech, Hickory, Oak &c. Sugar & Spruce
16 & 17	ditto	1 & 2	Same	5 & 6	Same
22 & 23	ditto	1 & 2	Low. Sugar, Beech, Walnut, Oak, Blackberry, Sugar & Spruce		
31 & 32	Land level. Timber Oak, Hickory & Beech	22 & 23	Low river bottom. Sugar, bottomwood, Spruce		
29 & 30	ditto	14 & 15	Same. First 1st rate		
20 & 21	ditto	14 & 15	1st rate bottom. Sugar, Blackberry &c		
10 & 11	ditto	11 & 12	Good bottom		
17 & 18	ditto	10 & 11	1st rate bottom		
8 & 9	ditto	2 & 3	Good bottom		
7 & 8	ditto	2 & 3	Good 1st rate bottom. Sugar, Beech, Walnut		
		15 & 22	Low bottom		



Township 1<sup>st</sup> N. North Range 1<sup>st</sup> E. East of the Meridian Contine

4.50	A Water Course 10 Chs wide Course W.
10.00	A Creek 30 Chs wide runs S 20 W.
50.00	Set 1/2 Sec. post from which a Beech 18 In. Diam. bears S 70 E 22 Chs And a Beech 12 In. Diam. bears S 55 W. 24 Chs Over level 2 <sup>nd</sup> rate land Timber Beech and Poplar
36.90	A W. Oak 30 In. Diam. in the line.
20.00	Set Post Corner to Sec. 19, 20, 29, 30 T. 1 N. R. 1 E. from which a Beech 30 Diam. bears S 28 W. 38 Chs. And a Beech 12 In. Diam. bears N 60 E 8 Chs Over level 2 <sup>nd</sup> rate land. Timber Beech, Oak and Poplar.
W. st.	Between Sec. 19, 30 T. 1 N. R. 1 E.
3.12	A Poplar 50 In. Diam in the line.
40.00	Set 1/2 Sec. post from which a Poplar 20 In. Diam. bears S 7 E 40 Chs. And a Beech 20 In. Diam. bears N 1 E 28 Chs. Over level 1 <sup>st</sup> rate land Timber Beech, Oak and Poplar.
51.50	A Beech 18 In. Diam in the line.
79.90	Intersected Town boundary 1.47 Chs. of post Corner to Sec. 24, 25 T. 1 N. R. 1 E. And set post Corner to Sec. 19, 30 T. 1 N. R. 1 E. from which a Beech 18 In. Diam. bears N 75 W. 31 Chs. And a Beech 30 In. Diam. bears S 83 E 26 Chs. Over level 1 <sup>st</sup> rate land. Timber Beech Oak and Poplar.
East.	Random Between Sec. 20, 29 T. 1 N. R. 1 E.
40.00	Set Temporary 1/2 Sec. post. Over level 3 <sup>rd</sup> rate land. Timber Beech Oak and Poplar.
20.20	Set 10 Chs. of post Corner to Sec. 20, 21, 28, 29 T. 1 N. R. 1 E. Over level 2 <sup>nd</sup> rate land. Timber Beech, Oak and Poplar.

Township 6 North. Range 5. East. 2<sup>nd</sup> Mer. Ind?

Surveyed by J. H. Lammie.	
North	Between Sec. 35 + 36
19.48	A Elm 20 in dia.
40.00	1/4 post. Beech 18. N. 55 E. 31. W. Oak 36. S. 62 W. 18.
58.61	A W. Oak 16 in dia.
80.00	post Cor. to Sec. 25, 26, 35, + 36 R. Oak 50. N. 29 W. 30 + Ash 9. S. 86 E. 16. Land first rate, Ash, Oak.
East	Random Between 25 + 36
78.67	To Co. Boundary 1661 Chs. S. of Cor. Land level + wet.
West	Correct. Between 25 + 36
39.93	1/4 post. Oak 10. N. 72 E. 8 + S. Oak 11. S. 38 W. 22.
78.67	Sec. Cor.
North	Between Sec. 25 + 26
15.80	A Elm 36 in dia.
40.00	1/4 post. Beech 18 S. 42 E. 27 Do 16. N. 31 W. 27.
50.80	W. Oak 30 in dia.
80.00	post Cor. to Sec. 23, 24, 25, 26. Beech 16. N. 63 E. 38. Elm 14. S. 47 W. 25. Land 1 <sup>st</sup> rate.
East	Random Between 24 + 25.
78.81	To Co. Boundary at post. Land 1 <sup>st</sup> rate. 2 <sup>nd</sup> low + wet.
West	Correct. Between 24 + 25
39.40	1/4 post. Maple 14. S. 75 E. 18 + Ash 16. N. 20 W. -.
78.81	Sec. Cor.
North	Between 23 + 24.
25.25	post on Indian Boundary. Beech 16. S. 48 W. 27. Ash 8. S. 56 E. 22.
+	
West	Between sec. 23. + 26.
39.20	Post on Indian Boundary. Ash 24. S. 20 W. 31 Chs. Beech 9. East 41 "
North	Between 34 + 35
21.72	A Hickory 30 in dia.
40.00	1/4 post. Beech 16. S. 40 W. 36 + " 14. N. 22 E. 14.
55.26	A Beech 20 in dia.
80.00	post Cor. to Sec. 26, 27, 34, + 35 Beech 20. S. 67 W. 6 + Do 12. N. 46 E. 37. Land good soil, Oak + Beech.
East	Random Between 26 + 35.
79.15	A + S line 159 Chs S of post Land rich very brushy.
West	Correct. Between 26 + 35.
39.62	1/4 post. Dogwood 5. N. 12 W. 7 + Hickory 11. N. 37 E. 16
79.25	Sec. Corner.
North	Between Sec. 26 + 27.
11.82	B. Walnut 40 in dia.
40.00	1/4 post. Beech 18. N. 39 W. 11 + Do 30. N. 72 E. 15. post on Boundary line. Beech 14. S. 18 W. 17 + W. Oak 36. S. 80 E. 40. Land rich. Oak. Beech + C.
North	Between Sec. 33 + 34.
27.50	B. Oak 20 in dia.
116.00	1/4 post. Coffetree 11. N. 28 W. 8 + Poplar 40. S. 50 E. 24.
61.13	B. Oak 16 in dia.
80.00	Cor. to Sec. 27, 28, 33, + 34. Walnut 16. N. 66 W. 33 + Brushy 16. N. 89 E. 32. Land good soil, some fallen timber.
East	Random Between 27 + 34.
22.00	A Run 10 Chs wide NW.
78.30	N. S. line 220 Chs. S. of post. Land level + rich.
West	Correct.
39.15	1/4 post. Dogwood 6. S. 10 W. 14 Beech 4. N. 20 W. 5.
North	Between 27 + 28.
25.7	post on boundary. Sugar 12. S. 44 W. 40. " 10. S. 43 E. 28.
West	Between 28 + 33.
11.13	post. on boundary. Coffetree 9. on Corner.
North	Between 32 + 33.
15.77	W. Oak 24 in dia.
38.25	To boundary. W. Oak 18. S. 40 E. 39 + Beech 10. S. 20 W. 22.



# Township N. 6 North, Range N. 5 East 2<sup>nd</sup> Mer.

**Range line (North of Boundary)**  
 North Between Ranges 5 & 6 Township 6 North. var. 6.30  
 East Side of Sec. 24  
 1.82 Set post corner of Sec. 13 S 24 R 5 E. Town 6 North  
 Locust 24 S 57 E 13  
 Beech 24 S 30 N 20  
 North on the East Side of Sec. 13  
 35.50 A. Walnut 24 in. diam.  
 40.00 gr. Sec. corner Sugar 10 S 33 E 19  
 B. Oak 24 S 28 E 11  
 50.20 A. Walnut 30 in. diam.  
 80.00 Set post corner of Sec. 12 S 13  
 Spruce 30 S 46 N 8  
 W. Oak 30 S 54 E 12  
 Sand live Birch, Beech, Sugar, Spruce, Alder, Spruce  
 North on the East Side of Sec. 12  
 27.50 Spr. Ash 20 in. diam.  
 40.00 gr. Sec. corner Cherry 5 S 40 E 3  
 Beech 15 S 23 N 28  
 44.42 St. Spruce 25 in. diam.  
 79.70 Intersected the River 8.77 the wide course S 72 W  
 Beech 30 S 49 N 3  
 Sugar 12 S 45 E 30  
 80.00 Post in the River. Sand Timber as above  
 North on the East Side of Sec. 1  
 8.47 Set post on the North bank of the River  
 Spruce 10 S 43 N 21  
 do 15 S 47 E 14  
 10.25 St. Spruce 36 in. diam.  
 40.00 gr. Sec. corner Sugar 15 S 57 E 25  
 do 12 S 44 N 32  
 80.10 Set post corner of Township 6 N. R. 5 E. Sec. 1. 6. 31. 36  
 Beech 20 S 44 N 14  
 do 8 inches diam.  
 Sand Timber Same  
 Surveyed by John M. Donald D. L. May 29<sup>th</sup> 1819

**Township line var. 6.30**  
 West Between Townships 5 & 6 R. 5 East.  
 On the South Side of Sec. 32  
 40.00 gr. Sec. corner Dogwood 6 S 78 E 12 1/2  
 do 10 S 48 E 12  
 80.00 Set post corner to Sec. 31 N 32  
 Spruce 6 S 53 E 12  
 Dogwood 6 S 51 N 9  
 Good land  
 West on the South Side of Sec. 31  
 9.70 A. Spruce run 6 lbs North  
 40.00 gr. Sec. corner B. Oak 20 S 58 E 35  
 W. Ash 30 S 65 E 34  
 62.00 Is a large hick some appearance of  
 Iron Ore  
 89.91 Is Iron corner  
 Sand Birch, Oak, Beech, Hickory  
 Surveyed by Arthur Monroe D. L.

**Subdivisions of Township 6 N. R. 5 East**  
 North Between Sec. 26 & 27  
 40.00 Set post corner of Sec. 22. 23. 26. 27  
 Ironwood 8 S 26 E 14  
 Elm 6 S 20 N 8  
 Sand live Birch, Hackberry, Ash, Spruce  
 North Between Sec. 22 & 23  
 40.00 gr. Sec. corner Beech 18 S 13 N 14  
 do 16 S 69  
 50.10 Set post on Boundary Beech 20 S 16 N 39  
 do 20 S 75 N 35  
 East Between Sec. 23 & 26 On Boundary  
 40.00 Temporary gr. Sec. post  
 80.10 Intersected St & T line at Sec. corner  
 Sand the Same  
 West corrected  
 40.05 gr. Sec. corner Poplar 40 South 84  
 W. Oak 20 S 52 N 95  
 80.10 Section corner.  
 North Between Sec. 27 & 28  
 40.00 gr. Sec. corner Sugar 10 S 10 E 30  
 do 10 S 51 N 9  
 56.46 St. Birch 200 lbs E 9 N  
 76.50 A. Spruce 20 in. diam. corner tree  
 Sand the Same  
 West Between Sec. 22 & 27  
 40.00 gr. Sec. corner Red. Oak 6 S 80 N 70  
 do 5 S 44 N 74  
 73.50 Set post on the River Spruce 10 S 26 E 12  
 Cottonwood 8 S 51 N 70  
 North Between Sec. 21 & 22  
 5.10 Set post on the St. W. side of the River  
 Cottonwood 20 S 44 N 23  
 Red. Oak 8 S 74 E 3

40.00 gr. Sec. corner Beech 10 S 26 E 9  
 do 40 S 44 N 20  
 80.00 Set post corner to Sec. 15. 16. 21. 22  
 Beech 30 S 77 N 49  
 do 30 East 47  
 Sand the Same  
 East Between Sec. 15 & 22  
 40.00 gr. Sec. corner Hackberry 10 S 74 N 13  
 do 12 S 29 N 21  
 48.00 Set post on Boundary. Buckeye 10 S 4 E 22  
 Sugar 10 S 25 E 20  
 Sand the Same  
 North Between Sec. 15 & 16  
 36.19 Set post on Boundary. Beech 18 S 38 E 15  
 do 12 S 54 N 19  
 Sand the Same  
 North Between Sec. 32 & 33  
 40.00 gr. Sec. corner B. Oak 20 S 39 N 17  
 Hickory 6 S 55 E 18  
 80.00 Set post corner to Sec. 28. 29. 32. 33  
 Beech 18 corner tree  
 Sand Rolling Oak & Hickory  
 East Between Sec. 28 & 33 On Boundary  
 40.00 Temporary gr. Sec. post  
 79.82 Intersected St & T line 200 lbs South of corner  
 Sand live Birch, Beech, Sugar, Walnut, Spruce  
 West corrected  
 39.91 gr. Sec. corner Sugar 12 S 60 N 43  
 Beech 20 S 10 E 14  
 79.82 Section corner  
 North Between Sec. 28 & 29  
 23.48 Post on the River bank Spruce 18 S 23 N 13  
 do 20 S 54 E 15  
 31.06 Post on St. W. side of River Elm 20 S 50 N 12  
 Arrow Wood 4 S 83 N 12



40.00 gr. Sec. corner Locust 20 S 61 W 14  
Buckeye 10 S 34 E 22  
80.00 Set post corner of Sec. 20. 21. 28. 29  
Corner in a Pond 200 lbs N. E. & S. E.  
East Between Sec. 21 & 28  
40.00 gr. Sec. corner Beech 24 N 38 E 25  
do 18 S 75 E 30  
41.77 Set post on the River Ironwood 8 S 31 W 8  
Blackberry 12 N 16 E 14  
49.00 Set post on the S. E. side  
69.00 Set post on the River Bank  
North Between Sec. 20 & 21  
40.00 gr. Sec. corner Elm 20 N 21 W 22  
Box Elder 5 S 76 E 14  
60.00 A. Pond 5.00 lbs wide  
80.00 Set post corner of Sec. 16. 17. 20. 21  
Jun 6 S 42 W 2  
do 6 S 82 E 13  
Sand level. Elm. Ash. Oak. Hickory  
East Between Sec. 16 & 21 On Prandone  
40.00 Temporary gr. Sec. post  
80.00 Intersected N & S line 12 lbs North of corner  
Sand the same  
West Corrected  
40.00 gr. Sec. corner Blackberry 12 N 46 E 7  
Elm 28 S 29 E 20  
80.00 Section corner  
North Between Sec. 16 & 17  
40.00 gr. Sec. corner Beech 12 N 61 E 11  
do N 79 E 23  
86.00 Set post corner of Sec. 8. 9. 16. 17  
Beech 24 S 16 W 13  
do 12 S 16 E 21  
Sand & similar same

North Between Sec. 8 & 9  
16.60 Set post on Boundary Beech 20 S 46 E 28  
do 6 S 58 W 19  
Sand the same  
East Between Sec. 9 & 16  
22.18 Set post on Boundary Beech 12 N 29 W 10  
do 16 S 42 E 24  
Sand the same  
North Between Sec. 31 & 32  
40.00 gr. Sec. corner Beech 6 N 24 W 16  
W. Oak 12 S 48 W 10  
55.50 Set post on River Blackberry 20 N 56 W 12  
Sycamore 20 N 33 E 24  
63.35 Set post on N. W. side Forest 12 N 82 E 8  
Buckeye 10 N 54 E 16  
80.00 Set post corner to Sec. 29. 30. 31. 32  
Beech 10 S 12 E 24  
Walnut 15 S 19 W 24  
East Between Sec. 29 & 32  
40.00 gr. Sec. corner Blackberry 10 N 35 E 22  
Sycamore 40 S 60 E 17  
54.50 Set post on River Sycamore 12 N 56 W 12  
Haw 6 S 56 E 6  
West Between Sec. 29 & 32  
18.50 Set post on River Sycamore 18 S 53 E 35  
do 10 S 72 W 17  
Sand the same  
North Between Sec. 29 & 30  
40.00 gr. Sec. corner Beech 18 corner tree  
80.00 Set post corner to Sec. 19. 20. 29. 30  
W. Oak 10 S 71 W 36  
Jun 12 S 84 E 16  
Sand level. Birch. Oak. Hickory  
Beech

East Between Sec. 20 & 29 On Prandone  
40.00 Temporary gr. Sec. post  
79.00 N. Pond  
80.18 Section corner Sand the same  
West Corrected  
40.09 gr. Sec. corner Blackberry 18 N 6 W 15  
Beech 10 S 50 W 24  
80.25 Section corner  
North Between Sec. 19 & 20  
27.75 N. Forest. Jun 20 ind. diam.  
40.00 gr. Sec. corner Jun 24 S 8 E 22  
Beech 10 S 10 W 19  
80.00 Set post corner to Sec. 17. 18. 19. 20  
Beech 20 S 40 E 14  
do 10 S 72 W 26  
Sand the same  
East Between Sec. 17 & 20 On Prandone  
40.00 Temporary gr. Sec. post  
80.10 Intersected N & S line 20 lbs North of corner  
Sand the same  
West Corrected  
40.05 gr. Sec. corner Elm 12 East 2  
No more trees  
80.10 Section corner  
North Between Sec. 17 & 18  
40.00 gr. Sec. corner W. Oak 12 S 54 W 29  
Blackberry 12 N 72 W 22  
80.50 Set post corner to Sec. 7. 8. 17. 18  
Beech 12 S 72 E 21  
do 12 S 19 W 11  
Sand the same  
East Between Sec. 8 & 17 On Prandone  
40.00 Temporary gr. Sec. post  
80.25 Intersected N & S line 19 lbs South of corner  
Sand the same

West Corrected Between Sec. 8 & 17  
40.12 gr. Sec. corner Beech 18 N 60 W 14  
do 12 S 22 E 8  
80.25 Section corner  
North Between Sec. 7 & 8  
40.00 gr. Sec. corner Sweet Jun 29 S 1 E 45  
Maple 24 N 16 W 23  
75.30 Set post on Boundary Beech 10 S 26 W 7  
do 20 S 7 E 8  
Sand the same  
East Between Sec. 6 & 7  
17.00 N. Beech 50 lbs S 1 W  
40.00 gr. Sec. post  
80.32 Set post on Boundary Beech 10 N 19 E 4  
do 10 S 55 W 16  
Sand flat. N. W. Beech. Oak. Ash. Maple  
West Between Sec. 7 & 18  
40.00 gr. Sec. corner Beech 12 S 73 W 20  
do 8 S 80 W 10  
86.75 Sec. corner Sand the same  
West Between Sec. 18 & 19  
40.00 gr. Sec. corner Sycamore 6 S 58 W 11  
Jun 12 N 83 E 12  
87.50 Section corner Sand the same. Met.  
West Between Sec. 10 & 30  
40.00 gr. Sec. corner W. Oak 12 S 82 W 29  
Birch 5 S 89 E 10  
87.50 Set post on West Boundary 50 lbs South of corner  
Hickory 18 N 20 E 32  
do 10 S 12 W 11  
Sand the same  
West Between Sec. 30 & 31  
40.00 gr. Sec. corner Beech 24 N 80 E 34  
Ironwood 6 S 1 E 13



88.22	Set post on West Boundary 40 lbs South of corner Blackberry 12 N 7/2 E 26 do 10 S 7/2 W 5	S 9 W 10.00 S 70 W 11.00 West 28.00	St. Spring
	Land level 1/2 mile N. of Walnut, N. of Blackberry, N. of Sugar Meanders of the East Fork of White River Beginning on the S. E. side of the River down	S 60 W 17.00 S 70 W 7.00 S 35 W 18.00	Corner to Sec. 31 & 32
	Courses distances from the Indian Boundary line	S 82 W 53.00 S 63 W 19.50 S 22 W 15.00	
S 7 W	0.00 In Sec 22		
S 17 E	40.00		
S 14 W	12.00		
S 36 W	13.50		
S 60 W	12.50		
S 42 W	12.50		
S 67 W	35.00		
S 60 W	5.50		
	S. S. Subsects Corner of Sec. 22 & 27 Town of R 5 E	S 27 E 9.50 S 62 E 23.00 S 82 E 51.00	Corner on Orange line Meanders of East Fork of W. River from the range line between ranges W. S. Town of R 5 E & the River on R 7 W side
S 53 W	6.92	S 33 E 15.00	
S 65 W	5.50	S 50 E 5.50	Corner to Sec. 31 & 32
S 43 W	8.00	D <sup>o</sup> 23.00	
D <sup>o</sup>	3.00	East 31.00	
S 39 W	7.00	S 30 E 7.50	Corner to Sec. 27 & 32
West	7.50	S 7 W 16.00	
S 23 W	8.50	S 46 E 12.00	
	Corner of Sec. 21 & 28 Town of R 5 E	S 71 E 26.00 S 71 E 24.00	Corner to Sec. 28 & 29, T. N. S. E.
S 22 W	22.00	S 24 E 15.50	Corner of Sec. 21 & 28
S 39 W	14.00	D <sup>o</sup> 18.00	
S 25 W	14.00	East 15.50	
S 7 W	13.50	S 45 E 16.00	
S 73 W	14.77	S 69 E 5.00	Corner of Sec. 21 & 22
	Corner to Sec. 28 & 29 Town of R 5 E	D <sup>o</sup> 47.50 S 48 E 23.00 S 70 E 8.50	Run by Arthur Hurie D. S.
S 67 W	8.00	S 2 W 8.00	
S 50 W	7.00	S 19 W 39.50	
S 33 W	4.50	S 23 E 9.00	
South	4.50		
S 9 E	3.22		to Indian Boundary line

	Subdivisions of Harrison's Purchase of Township N <sup>o</sup> 6 R. 5 East. N. 30 North Between Sec. 23 & 24	East	Between Sec. 12 & 13 On Prandora
14.72	Set g <sup>r</sup> . Sec. corner Beech 12 N 7/2 W 25 Sugar 10 S 3/4 E 16	4.14 10.00	to Driftwood Post of White River. Set temporary post Set temporary post on opposite side
35.04	A. Beech 18 in. diam.	110.00	Temporary g <sup>r</sup> . Sec. post
54.75	Set post corner to Sec. 13, 14, 23, 24 Beech 18 S 7/2 E 23 do 12 S 38 W 14	80.64 110.32	Intersected East line 60 lbs North of post Land Chamber as before West corrected
	Land level 1/2 mile Beech, Sugar, Blackberry, Walnut, Poplar - N. of Sugar	70.64	Set post on River bank between 24 & 27, N 18 N. of Maple 12 S 38 E 27
	East Between Sec. 13 & 24 On Prandora	76.50	Set post on West bank of River, on a high sand bank
110.00	Temporary g <sup>r</sup> . Sec. post	80.64	No bearing trees. Aug. 24 <sup>th</sup> 1819 Sec. corner
80.08	Intersected East Boundary 60 lbs North of post	North	Between Sec. 11 & 12
	Land same Sugar, Walnut, Elm, Beech, Blackberry, N. of Sugar	3.70	Set post on West bank of River, N. of Maple 10 S 75 W 7 between 12 & 15, N 24
	West corrected		
110.04	g <sup>r</sup> . Sec. corner A. Small field No bearing trees	110.61	Set post on East bank N. of Maple 6 S 55 W 10 between 10 & 15, N 54 E 13
80.08	Section corner	110.00	g <sup>r</sup> . Sec. corner Sugar 12 S 60 W 19 do 15 S 42 E 23
	North Between Sec. 13 & 14		
26.66	A. Beech 10 in. diam.	29.00	to East bank of River. Set post on a bank covered with small bushes. No bearing trees
10.00	g <sup>r</sup> . Sec. corner Blackberry 6 S 38 E 14 do 8 S 37 W 15	52.56	to West bank of River Blackberry 6 S 46 W 18 do 36 S 6 E 41
67.19	to East Fork of W. River Sugar 18 S 7/2 W 32 Beech 10 S 26 E 34	80.00	Set post corner to Sec. 1, 2, 11, 12 Sugar 10 S 54 E 13 do 12 N 67 1/2 W 29
77.83	A. Small Sycamore 3 in. diam. on opposite side on a high sand bank. No bearing trees		Generally over low bottom, Sycamore, Cottonwood, Blackberry, Sugar
80.00	Set post corner to Sec. 11, 12, 13, 14 Sycamore 12 S 65 W 10 do 15 S 46 E 13	East	Between Sec. 1 & 12 On Prandora
	First 1/2 mile low bottom last 1/2 mile River	22.50	to West bank of River. Set temporary post
	Bottom of low Sugar, Blackberry, Buckeye, Sycamore N. of Sugar, N. of Sugar	40.00	N. of the River to same side where Set temporary post
		55.00	to the River where Set temporary post
		61.50	to opposite bank to the River. Temporary post
		81.50	Intersected East line 12 lbs South of post Low bottom land, Sycamore, Cottonwood



West Corrected Between Sec. 1 & 12  
 20.00 Set post on River Bank, in which no bearing trees  
 26.50 Set post on opposite side Sycamore 30 West 14  
 Red Oak 6 S 68 E 20  
 40.75 gr. Sec. corner Red Locust 4 S 84 W 25  
 No other tree  
 59.00 down River to same side W. Elm 6 North 26  
 Bar Elder 6 S 4 W 8  
 81.50 Section corner  
 North Between Sec. 1 & 2  
 17.83 H. Beech 12 in. diam.  
 40.00 gr. Sec. corner W. Elm 20 S 75 W 19  
 Red Oak 36 S 47 E 43  
 60.00 H. Walnut 30 in. diam.  
 74.00 Intersected North Boundary 40 lbs West of post  
 Beech 15 S 44 E 18  
 do 12 S 72 W 74  
 Small loc. Sugar Beech Ash Walnut Blackberry Elm Sugar Pine  
 North Between Sec. 2 & 22  
 5.31 To the River Beech 8 S 12 W 4  
 do 24 S 35 E 21  
 11.36 Opposite side of River Cottonwood 17 S 63 W 70  
 do 5 S 44 E 10  
 29.90 Set post corner to Sec. 14, 15, 22, 23  
 Sugar 12 S 66 W 30  
 do 15 S 13 E 10  
 Low River bottom Sugar Cottonwood Sycamore  
 East Between Sec. 14 & 23 On Transition  
 18.22 To West Bank of River Set temporary post  
 25.16 To East Bank of River Set temporary post  
 40.00 Temporary gr. Sec. post  
 79.60 Intersected East line 4.6 lbs South of post  
 First 1/2 mile low bottom on River last 1/2 mile 1<sup>st</sup> rate  
 Bottom Sugar Blackberry Walnut Sycamore  
 Mug. Spice & Paw-haw

West Corrected Between Sec. 14 & 23  
 39.80 gr. Sec. corner Blackberry 17 S 4 W 18  
 W. Elm 6 S 31 E 14  
 54.44 Post on River Bank W. Maple 12 S 46 E 23  
 Sycamore 8 S 31 E 14  
 61.38 Post on West Bank W. Elm 10 S 44 E 32  
 W. Ash 10 S 61 W 20  
 79.60 Section corner  
 North Between Sec. 14 & 15  
 27.72 H. Beech 12 in. diam.  
 40.00 gr. Sec. corner Hickory 10 S 70 E 7  
 Blackberry 15 S 88 W 11  
 61.12 H. Blackberry 18 in. diam.  
 80.00 Set post corner to Sec. 10, 11, 14, 15  
 Beech 24 S 45 E 56  
 do 15 S 36 W 18  
 First rate Bottom land Sugar Blackberry  
 Walnut Beech Mug. Spice Pine pine Aug. 25, 1819  
 East Between Sec. 11 & 14 On Transition  
 40.00 Temporary gr. Sec. post  
 52.20 To West Bank of river which runs North West  
 68.73 Up the River to same side  
 79.76 Intersected East line 4.5 lbs South of post  
 Soil good Bottom Sugar Beech Blackberry Walnut Beech &  
 West Corrected  
 11.03 To River Bank Willow 8 S 30 E 23  
 Sycamore 10 S 17 E 21  
 27.56 down the River to same side Beech 10 West 31  
 do 12 S 60 E 7  
 39.88 gr. Sec. corner W. Elm 18 S 60 W 20  
 do 16 S 20 W 7  
 79.76 Section corner  
 North Between Sec. 10 & 11  
 40.00 gr. Sec. corner W. Elm 10 S 60 E 20  
 Beech 12 S 50 W 22

52.50 H. Beech 12 in. diam.  
 80.00 Set post corner to Sec. 2, 3, 10, 11  
 Beech 18 S 47 E 35  
 Red Oak 30 S 47 W 18  
 First rate Bottom Beech Burr Oak Hickory Buckeye  
 Blackberry Walnut 1<sup>st</sup> Mug. Spice  
 East Between Sec. 2 & 11 On Transition  
 40.00 Temporary gr. Sec. post  
 79.76 Intersected East line 4.4 lbs South of post  
 Soil Bottom Sugar Beech Burr Oak Ash 1<sup>st</sup> rate Pine  
 West Corrected  
 39.77 gr. Sec. corner Hickory 15 S 47 E 18  
 Beech 22 S 2 W 32  
 79.74 Section corner  
 North Between Sec. 2 & 3  
 35.40 H. Sugar 16 in. diam.  
 40.00 gr. Sec. corner Beech 30 S 20 W 26  
 do 8 S 24 E 26  
 53.00 H. Sugar 20 in. diam.  
 76.50 Intersected North line 4.4 lbs West of post  
 Sugar 12 S 66 W 16  
 do 5 S 65 E 13  
 Soil Bottom 1<sup>st</sup> rate Sugar Beech Walnut 1<sup>st</sup> rate Mug. Spice  
 East Between Sec. 15 & 22 On Transition on boundary  
 6.44 Temporary post on West Bank of River thence  
 25.80 Up the River to same side Set temporary post  
 31.09 Intersected East Boundary 5.5 lbs South of post  
 Low Bottom land Sycamore Cottonwood 1<sup>st</sup>  
 West Corrected Between Sec. 15 & 22  
 5.29 To Bank of river Mulberry 6 corner tree  
 Cherry 6 S 50 E 9  
 24.65 down the River to same side Set post  
 Hornbeam 4 South 7  
 Red Oak 8 S 8 E 6  
 31.09 Corner on Boundary  
 Aug. 26<sup>th</sup> 1819

North Between Sec. 15 & 16  
 3.81 Set post for gr. Sec. corner Juno 24 S 45 E 19  
 Beech 18 S 31 W 48  
 23.50 H. Beech 24 in. diam.  
 43.81 Set post corner to Sec. 9, 10, 15, 16  
 W. Ash 18 S 31 E 25  
 Beech 15 S 70 W 15  
 Soil 1<sup>st</sup> rate Beech Sugar Ash Walnut 1<sup>st</sup>  
 East Between Sec. 10 & 15 On Transition  
 40.00 Temporary gr. Sec. post  
 79.50 Intersected East line 5.7 lbs South of post  
 First rate Bottom land timber same with Beech & 1<sup>st</sup> rate Pine  
 West Corrected  
 39.75 gr. Sec. corner Beech 24 S 4 W 17  
 do 20 S 15 W 52  
 79.50 Section corner  
 North Between Sec. 9 & 10  
 28.79 H. Beech 15 in. diam.  
 40.00 gr. Sec. corner Beech 18 S 46 E 20  
 do 8 S 55 W 18  
 70.39 H. Sugar 15 in. diam.  
 80.00 Set post corner to Sec. 3, 4, 9, 10  
 Hickory 8 S 62 W 23  
 Ash 4 S 30 E 20  
 Soil 1<sup>st</sup> rate Beech Sugar Hickory Ash 1<sup>st</sup> rate Mug. Spice  
 East Between Sec. 3 & 10 On Transition  
 40.00 Temporary gr. Sec. post  
 79.88 Intersected East line 5.9 lbs South of post  
 Small loc. 1<sup>st</sup> rate Sugar Beech Ash Mug. Spice  
 West Corrected  
 39.74 gr. Sec. corner Mulberry 6 S 4 W 10  
 Sugar 10 S 11 E 37  
 79.88 Section corner







S 80 E	6.00	from last corner
N 54 E	15.00	
N 62 E	6.15	
N 78 E	5.00	
..... to a corner (A. Spencer & Cottonwood)		
Between Secs 12 & 23		
N 42 W	15.50	from last corner
N 40 E	4.17	
N 82 E	3.25	
N 65 E	6.55	
N 75 E	10.00	
N 71 E	11.00	
N 76 E	4.00	
N 25 W	6.50	
N 40 W	8.60	
N 40 E	7.37	
S 52 E	6.30	
S 85 E	6.22	
N 66 E	7.50	
N 70 E	8.64	
N 8. W	5.68	
N 22 W	12.50	
N 42 E	12.00	
S 73 E	5.27	
S 22 E	4.50	
..... to A. corner (a Sugar Wooded Oak) on line		
Between Secs 12 & 14		
N 66 E	7.50	from last corner
..... to a corner (a Cottonwood & W. Maple)		
Between Secs 12 & 13		
from last corner		
to a corner (a Cottonwood & W. Maple)		
Between Secs 11 & 12		
N 15 W	8.36	from last corner
N 4. W	4.50	
N 23 W	6.10	

N 40 W	6.14	
N 23 E	7.00	
..... to corner (a small Beech among		
small bushes, no bearing trees		
Between Secs 11 & 12		
N 65 E	10.00	from last corner
S 77 E	10.79	
S 56 E	8.50	
S 85 E	7.70	
N 44 E	10.25	
N 15 E	6.10	
N 25 W	6.64	
N 34 W	8.78	
N 36 E	4.65	
S 67 E	10.00	
East	5.50	
..... to a corner, Between Secs 12 & 14		
in a thick brush, no bearing trees		
from last corner		
N 70 E	10.00	
..... to a corner on East boundary		
of Township.		
Aug. 30 <sup>th</sup> 1879		
Approved by J. D. Morris D. S.		